

Dr.Eberhard Manz

Q ~~CM 2238 PCT~~

- Method for proving the pedigree and/or for the
5 identification of animals or of biological material

Background of the Invention

The invention relates to a method for proving the
pedigree and/or for the identification of animals or of
biological material. The biological material may be
10 from animals or from any organisms carrying nucleic
acid as genetic material.

For the registration, purchase or breeding of animals
it is often important to identify an animal
15 unambiguously, to prove the pedigree of the animal or
to find the owner. In stockbreeding, so-called
studbooks or breeding registers which are kept by
registered breeder organizations are known for proving
the pedigree and performance of breeding animals.
20 Moreover, animal passports are known which contain
particular data on one animal in each case. These data
include, for example, physical characteristics, results
of blood tests, pedigree or unusual phenotypic
features. Disadvantages here are the small amount of
25 information, limited data access and difficult data
checking. In the case of generally accessible registers
in particular, there is always the danger of
manipulation by the users.

30 With biological material from animals or organisms such
as, for example, cell samples or cultures of
microorganisms there is the disadvantage that it is
often impossible to check the identity thereof, since
no characteristic data are available.

35

The invention solves these problems by a method
according to Claim 1 and/or 32, a chip carrier
according to Claim 38 and/or a computer system
according to Claim 41.

5 The invention may provide for genetic information of a plurality of animals or of biological material from a plurality of animals or organisms to be determined and stored as reference datasets on a storage medium and for the genetic information or parts of the genetic information of the animal to be identified or of the biological material to be identified being compared with one or more reference datasets.

10 The invention may also provide for additionally storing characteristics or properties of the animals or the biological material in the reference datasets.

15 The invention may also provide for the characteristics or properties deducible from the genetic information to be determined and stored in the reference dataset.

20 The invention may also provide for storing photographic pictures of the animals in the reference datasets.

The invention may also provide for the biological material to be embryos, sperm cells or egg cells from animals.

25 The invention may also provide for the biological material to be blood samples or tissue samples of animals or cells from cell cultures or microorganisms.

30 The invention may also provide for storing the reference datasets at a central location.

The invention may also provide for encrypting the reference datasets at the central location.

35 The invention may also provide for using the particular genetic information as a key. The particular genetic information may be part of the key. It is also possible to provide for the particular genetic information to be

5
.
10

15

20

25

30

35

According to another aspect of the invention, said invention represents a method for proving the pedigree and/or for the identification of animals or of

biological material from animals and organisms, which comprises the following steps:

- storing on a data carrier identification data in the form of an encrypted message which has an unambiguous and predetermined connection with genetic information unambiguously identifying an animal or the biological material,
- verifying the identification data with respect to whether said data have the predetermined connection with the genetic information.

The encrypted message generated by the identification data may be assigned to the genetic information by encrypting a message, preferably of particular content, using a code which has been unambiguously assigned to the genetic information and therefore to the individual animal, and/or by the encrypted message containing information, which has an unambiguous and predetermined connection with said genetic information, and, in the simplest case, can be said information itself. Both possibilities may be combined. In the first case, the predetermined connection may be verified by decrypting the message using the key individually assigned to the animal. A successful decryption is proof that the identification data have indeed been assigned to said genetic information. In the second case, a key which is kept at a secure location or which only trustworthy users can access is used to decrypt the encrypted message and the contents of the message are used to verify whether these data or this message belong to a particular animal. Combining both methods leads to double verification of the assignment to the genetic information or to the animal, firstly by successful decryption and secondly by the contents of the decrypted message.

The method according to the invention may in particular comprise the following steps:

- storing on a data carrier genetic information

- unambiguously identifying the animal or the material, in conjunction with identification data containing an encrypted message which is unambiguously connected with the genetic information,
- retrieving the identification data through an encrypted message which is unambiguously connected with the genetic information,
 - verifying the identification data with respect to whether the genetic information transmitted by the message corresponds to the stored genetic information or whether the stored encrypted message corresponds to the sent encrypted message,
 - ~~outputting~~ ^{outputting} the genetic information when a match has been detected and therefore the animal or the material has been unambiguously identified.

The invention may also provide for determining the genetic information of one or more animals or of biological material from one or more animals or organisms and for storing said information as reference datasets on a storage medium.

The reference datasets contain the identification data and, where appropriate, further data relating to the particular animal and thus form an electronic register sheet into which the data relating to the animal have been entered and which has been unambiguously assigned to the individual animal through the identification data.

The invention may also provide for storing on the data carrier further data which have been assigned to the identification data and which relate to the animal to be identified or the biological material to be identified. In this context it is in particular possible to provide for the encrypted identification data to contain an indicator or other information about the storage location of said further data so that it is

5

10

15

25

35

The invention may also provide for the sequence of

The invention may also provide for the key to be a symmetrical key.

The invention may also provide for encrypting the information based on an asymmetric pair of keys, with the public key at least in part having a predetermined connection with the genetic information identifying the animal or the material.

15

20

25

30

A chip in accordance with this application is generally to be understood as meaning any electronic or optical component which has at least one memory function and, where appropriate, can also perform logical functions and which has an interface for communicating with a computer system, for example via a reading device or via an optical interface. This should also include in

5

10

15

20

25

30

35

The invention may also provide for the chip to hold information identifying one or more users and the decrypting device or encrypting device only to be activated when information stored for identifying a user is entered via an input device. The relevant information may be, for example, a password, but also, for example, a fingerprint, an image of the retina, a speech sample for speech recognition, and the like.

15

20

25

30

35

5 The invention may also provide for the central computer to verify, after decrypting, whether predetermined sequences of characters are present in the decrypted text and emit a corresponding output signal to a user.

new
↓
10 The invention may also provide for transferring the animal-specific information stored on a data carrier, which is separate from the central computer, and, where appropriate, predetermined genetic information unambiguously identifying the animal or the material to the central computer where they are decrypted.

15 The invention may also provide for the data carrier containing the data relating to the animal or the material to be installed on a central computer.

20 The invention may also provide for at least part of the data to be access-protected and for access authorization to be different for different users of the central computer.

25 The invention may also provide for a proportion of users to be able to access at least part of the stored data only if a predetermined further user, for example the animal owner, is logged on to the central computer at the same time.

30 The invention may also provide for access to at least part of the stored data only to be possible, once the computer has verified access authorization using the data stored on a chip, in particular on a smartcard. This may be in particular relevant also to the second user who has to be logged on according to the
35 abovementioned embodiment.

The invention may also provide for setting up the computer such that users can write to the stored data relating to the animal or material only together with a

digital signature of the user.

The invention may also provide for using an animal-specific pair of asymmetric keys for exchanging a session key for communication of a user with the central computer.

The invention also provides a method for generating data which are unambiguously and verifiably connected with an individual animal, which comprises:

- creating identification data in the form of an encrypted message which has an unambiguous and predetermined connection with genetic information which unambiguously identifies an animal or the biological material.
- storing the identification data on a data carrier.

The invention may also provide for the identification data to contain an encrypted message which has been encrypted using a key unambiguously assigned to the individual animal.

The invention may also provide for the encrypted message to contain the value of a one-way function (hash), which value is obtained when applying said one-way function to further data which are stored on the data carrier and which relate to the animal to be identified or the biological material to be identified.

The invention may also provide for the identification data to comprise a message encrypted by a code which is generated in a predetermined unambiguous manner on the basis of a sequence of digits which has been unambiguously assigned to genetic information unambiguously identifying the animal or the material.

The invention may also provide for the key to be a symmetric key.

5

10

15

20

25

Detailed Description of the Invention

35

the genetic information are ribonucleic acids (RNA) which represent the substance material of the genes and which are capable of identical duplication. The genetic information may be summarized or else standardized in various ways. To explain particular properties, it is possible to use the genes coded [sic] therefor or genetic markers. In order to ensure access to the genetic information, said information is stored in the form of reference datasets on a storage medium. In order to identify an animal or to prove or verify the pedigree of animals or of biological material, the reference datasets are retrieved from the storage medium and compared with data already available. Before being able to access the reference dataset, the user first has to prove his authorization. This can be done, for example, by entering a password, a name or a PIN. Moreover, the authorization may also be stored on a smartcard, for example. The user may only retrieve the reference dataset for which he can prove authorization. All other reference datasets on the storage medium are not accessible to him. An example of this type of user may be the owner of an animal. He may also pass on his authorization to a third party. In this way it is possible, for example, for the buyer of an animal, to quickly and simply verify whether the data provided by the seller belong to the animal offered for sale. In this case, a time limit is imposed on the authorization for the potential buyer. When missing animals are found, it is possible to verify whether the found animal is the one which is being looked for. In both cases, cell samples may be taken from the animal in order to determine a certain amount of genetic information therefrom. Comparison between the determined information and the reference datasets provides the identity of the animal. In addition, the pedigree of the animals may be determined with the aid of genetic information. For breeding, sperm cells or egg cells are frequently taken from animals and stored appropriately. The gametes are stored in suitable

containers and are available, if needed. When purchasing such gametes, the buyer can determine the pedigree of the gametes by taking a sample and comparing the data determined from the sample with a
5 reference dataset. In this way it is also possible to determine suitable mating suggestions for an optimal breeding result.

There is no danger of manipulation of the reference
10 data in this method, since only authorized persons can retrieve the data. In addition, only a central location may be allowed to modify the reference data so that even authorized persons cannot modify the data. The contents of the reference dataset provide a genetic
15 fingerprint of the relevant animal, organism or biological material. Said fingerprint permits unambiguous identification and can be verified by any laboratory.

20 Biological material from animals or organisms may be stored for storage or handling in suitable containers which are provided with a storage medium for the genetic information of the biological material. To verify the contents, the genetic information determined
25 from a sample of the biological material is compared with the stored data.

According to an advantageous embodiment of the invention, the reference datasets additionally hold
30 characteristics or properties of the animals or the biological material. In this way, a direct link is created between the general characteristics and properties of the relevant animal and the genetic information which is contained in the reference data
35 and which identifies the animal unambiguously ("genetic fingerprint"). The general characteristics and properties may be, for example, specific skills of the animal, the owner, ancestors and descendants, prizes or awards, value declarations, information about general

and specific skills, training, genetic diseases, other diseases, vaccinations or dates of veterinary visits. Examining the reference dataset therefore not only permits the obtaining of knowledge about the abstract genetic information, but also facilitates the retrieval of characteristic data of the animal or of the biological material. In this way, it is also possible to study, evaluate or show the connection between particular genetic information and characteristic features of the animal or of the biological material.

According to another advantageous embodiment of the invention, the characteristics or properties deducible from the genetic information are determined and stored in the reference dataset. The characteristics or properties of the animal may be not only those which have been determined in a study or through observation over a relatively long period or which are based on historical values, but also those which result directly from the genetic information. If the genetic information is present in the form of a reference dataset on a storage medium, it is possible to take advantage of rules already known or else of the latest findings in order to present the characteristics resulting from the genetic information in a quick and simple manner.

According to another advantageous embodiment of the invention, the reference datasets hold photographic pictures. These may be in particular ordinary photographic pictures showing the overall appearance of the animal or else results of visualizing diagnostic methods (e.g. ultrasound examination, X-ray examination, endoscopy, computed tomography), which are used to record the physical state of the animal.

According to another advantageous embodiment of the invention, the biological material is embryos, sperm cells or egg cells from animals. These are, after

having been taken from the relevant animal, filled into suitable containers and stored at low temperature. The containers may carry labeling or electronic data carriers, for example microchips or so-called smart labels, which contain the data essential for the contents of the container. Smart labels are very thin storage units having an interface for input and output which works like a transponder. These smart labels can have the same thickness as a sheet of paper and therefore may be used as "electronic tags" instead of paper tags.

Accessing the reference data makes it possible to verify the data given on the containers, in particular when a sample is taken from the sperm cells or egg cells and the genetic information is determined therefrom.

According to another advantageous embodiment of the invention, the biological material is blood samples or tissue samples from animals, cells from cell cultures or microorganisms. These may be stored, for example, for the purpose of testing or studying. In this case, verification of the sample is possible at any time.

According to another advantageous embodiment of the invention, the reference datasets are stored at a central location. This central location manages and monitors the data so that they cannot be manipulated or falsified by third parties. Authorized persons can access the stored data at the central location. The central location may also issue the relevant authorizations.

According to another advantageous embodiment of the invention, the reference datasets are encrypted at the central location. This makes it more difficult for unauthorized persons to access the data and prevents corresponding manipulation of the data. Thus it is

possible, for example, to provide a public key and a private key for encrypting and decrypting the data. By retrieving the reference data, the user adds his signature to the dataset contents, comparable to a digital signature.

According to another advantageous embodiment of the invention, the key used is the particular genetic information or the key is based on the particular genetic information. Thus it is possible, for example, to compute the base number determined from the sample of the animal with a control number only known at the central location and to use said base number as a private key.

According to another advantageous embodiment of the invention, the authorization for retrieving a reference dataset is stored in particular on a smartcard. In order to retrieve the reference dataset, the smartcard has to be inserted into a reading device provided for this purpose. The reference data are released, only after the authorization has been verified and recognized. The card user receives suitable software with the aid of which he is able to access the reference data on his computer. A data network offers the possibility of accessing the reference data online. For this purpose a suitable data connection between the central location and the user is required. Instead of a smartcard it is also possible to provide a different carrier of an isolated chip having an interface for communicating with a computer, for example in the form of a bracelet, a key ring or another object which the user may wear on his body; the interface need not necessarily be electronic, but may, where appropriate, also work optically. The term "chip" in the context of this application ought to mean not only electronic semiconductor components having a memory function and a built-in microprocessor, but also memory chips having solely memory function or other memory devices of

5

10

15

25

30

§

007200702 122000

A problem occurring frequently in connection with the identification of animals is the exchange of documents referring to the animal, and it is not easily possible to assign unambiguously the contents of the documents to the animal. Safe assigning of the key to the particular animal or to authorized persons is a great problem for protecting identifying information against falsifications. To this end, the invention provides a method which integrates safe individualizing information (e.g. genetic fingerprint) into the production of the keys, either into the keys per se or into certificates which assign the keys certified by a certification authority to particular persons or animals.

According to a preferred embodiment, the invention provides as a solution to this problem that the animal-related data on the data carrier have either themselves been encrypted using a key unambiguously connected with genetic information unambiguously identifying the animal or that verifying information which irreversibly and unambiguously identifies further information, which pedigreeally has been stored and need not be encrypted, is encrypted using such a code. Such verifying information can be generated by so-called one-way functions, also called hash functions. If, after encrypting, said further unencrypted information on the data carrier is manipulated, this can be detected by comparing the coded and stored value of the one-way function with the value which is obtained when applying the one-way function to the data actually stored on the data carrier. If the two values do not match, then the data have been modified or the wrong key was used for decrypting.

Genetic information which unambiguously identifies an animal or an organism can be obtained, for example, using the so-called microsatellite method. This method makes use of the fact that in particular regions of the

genome a particular sequence of bases, for example CA, is repeated with an individually different number of repeats. These regions are flanked by stable genomic regions which serve as target sequence for the binding of primers in a polymerase chain reaction (PCR). If the number of these repeats is determined in a sufficiently large number of appropriate genomic regions, the total amount of these repeats is specific for the individual animal or the individual organism.

10 If then a particular sequence of the genomic regions, in which these repeats are determined, is fixed and numbers corresponding to the number of these repeats are arranged according to this sequence, then a sequence of digits is obtained therefrom which is likewise specific for the specific individual.

Another method for presenting individual genetic information makes use of polymorphisms at individual nucleotide positions of the genome. The SNP (single nucleotide polymorphism) method provides a dataset in which for each of the studied genome positions the statement 1 (= result 1, e.g. corresponds to the population value) or 0 (= result 2, e.g. deviating value) is obtained. The results of the study in their entirety produce a binary number (e.g. 011100010100001111101010). For safe individualization approx. 40 genomic sites have to be studied. At present there are neither for humans nor for other organisms any defined standards denoting the positions to be studied. To obtain SNP information, various methods are available which are increasingly automated in the form of DNA chips which facilitates high sample throughput. Examples of different approaches are the fixing of oligonucleotides specifying a specific position on chips. Another technique provides for distinguishing the polymorphic PCR products by their molecular weight (Internationales Technologieforum 99, 23/24 June 1999, ICM

Internationales Congress Center, Neue Messe Munich).

Most encryption algorithms start out from a random number based on which the key is then generated. If
5 this random number is then replaced by a sequence of digits which is specific for the individual and which has been obtained from the genetic information in the above-described manner an encrypting code specific for the relevant individual is obtained. Generally it is
10 possible to use for generating the key any digitized, preferably genetic information unambiguously identifying the animal.

According to the invention, it is possible to verify
15 whether the animal in question corresponds to the stored data, by taking a sample from the animal, determining the appropriate genetic information and verifying whether the key corresponding to this information is the key for decrypting the coded data.
20 If it is impossible to decrypt the encrypted information or if the stored value of a one-way function is different from the remaining data, as previously described, due to applying the wrong key, then manipulation of the data or an exchange of the
25 animal must be suspected. In this way, it can be excluded that the animal to which the data refer has been exchanged.

Another problem is that the stored data can be
30 falsified on the data carrier or during transport via the Internet. This risk can be diminished by restricting and controlling the group of persons who have access to the key or to the assigning of the key to genetic information. Another way to proceed is to
35 send the encrypted part of the data to a trustworthy central location for decrypting, which location retransmits the decrypted result without releasing the key required for decryption and, where appropriate, verifies the authenticity of the data and/or the

This method, however, is complicated and offers no guarantee that the information exchanged between the trustworthy location and a user remains unmodified. Furthermore, it is important in this procedure that, if possible, the key is not revealed even to the owner of the animal, since otherwise there is the danger of falsifying the data using the correct key. It would also be desirable for an owner to be able to verify directly, using genetic information, whether the animal in question corresponds to the stored data.

25 Asymmetric keys are generally known in data technology
and form, i.a. the basis for the digital signature.
Regarding details relevant to the encryption of data
and regarding other aspects of data security, in
particular one-way functions or hash functions,
30 reference is made to M. Raepfle, "Sicherheitskonzepte
für das Internet", Heidelberg 1998 or to RSA
Laboratories "Answers to Frequently Asked Questions
About Today's Cryptography", Version 3.0.

An RSA code can be generated as follows:

- take 2 large prime numbers p and q ,

- 5

10

15

25

30

35

It should be taken into account in this connection that the second parameter of the public and private keys, n , is not unambiguously defined in the abovementioned example. Accordingly, it is possible to generate a plurality of keys which are, in the abovementioned sense, specific for the animal, but belong to different persons. This makes it possible for different persons, whose authenticity can be directly verified, to be able to write animal-related data to the data carrier.

25 In order to further increase verification and security
of the key used, it is possible to provide for
implementing the key required for decryption on a
smartcard. In this context, it is possible to provide
30 either for a computer used for decryption to access the
key securely stored on the smartcard and to use said
key for decryption, or, preferably, for the smartcard
itself to contain a processor for decrypting messages
so that an encrypted text is entered into the card and
35 an uncoded text is printed out, while the stored code
itself does not get outside. The smartcard may also be
provided for storing the private key of a user and,
preferably, may have a processor for encrypting
messages using the private key.

Assigning the smartcard to a particular animal may be carried out in various ways.

5 The simplest possibility is choosing the public key, for example as previously explained, in such a way that genetic information specific for the animal is part of the public key, for example such that this information forms the parameter e. In this context, the public key
10 may be printed, in the simplest case, on the smartcard or may be retrieved from the smartcard memory by a simple output operation.

15 If the public key is not to become known to everybody, then it is also possible to provide for storing an assigning instruction between the genetic information and the public key on the chip of the smartcard and for the smartcard to be set up in such a way that digitized genetic information obtained from the actual animal can
20 be entered. A processor in the smartcard then calculates the key from the entered digitized information, according to the assigning instruction, and compares said key with the stored key. If there is a match, the processor states that the entered
25 information corresponds to the stored key, and it states that the smartcard does not correspond to the relevant animal, if there is no match between the stored key and the key determined by the processor. The smartcard preferably contains further information,
30 retrievable as uncoded text, about which methods have been used to obtain the genetic information on which the key stored on the smartcard is based, and about which method is used to digitize the obtained information. A user to whom the appropriate genetic
35 information relevant to the animal in question is available therefore does not require a certification authority or the like in order to detect whether a particular code or a particular smartcard has indeed been assigned to a particular animal. He may detect

this by himself using the genetic information obtained from the animal and the information stored on the smartcard. This also gets rid of all problems which, in connection with the digital signature, derive from the communication between a user and a certification authority. The physical link between keys and animal-identifying data on the smartcard prevents manipulation of the communication and of the components required for secure data transport.

10 The above-described method can be used for setting up a system for the certification and verification of animals on an electronic basis. The data relevant to the animal, for example date of birth, ownership data, vaccination data, etc., are stored at a certification authority on a central computer which is accessible in the usual way for privileged users and on which, where appropriate, part of the stored data is publicly accessible. The appropriate data have either been encrypted using the private key of an animal-specific asymmetric pair of keys, i.e. a code which is based on genetic information about a particular animal in the manner mentioned above, or the value of a one-way function which results from this one-way function being applied to the appropriate dataset has been added to each dataset, encrypted by said animal-specific private key. In both cases, it is possible for a user reading the appropriate data or receiving them via the Internet to verify that said data are genuine and that they

30 derive from a particular person.

The owner of the animal receives an animal-specific smartcard which holds the animal-specific asymmetric key, i.e. the private as well as the public key. The smartcard simultaneously serves as an animal identity card which contains a certificate from the certification authority. The certificate contains the name of the animal, a continuous serial number, the name of the issuing authority, the name of the

applicant, the name of the place which has obtained the genetic information on which the coding is based ("genetic fingerprint"), the method which obtained this information, the genetic information itself and a validity period and also, where appropriate, information about the public key and/or about the encryption method. This certificate is readable from the chip as uncoded text or using a public key of the certification authority. The certificate may also be printed on the smartcard, if desired.

In order to obtain access to the data stored at the certification authority, the genetic information and public key are read out from the smartcard via a reading device and transmitted to the certification authority. Using the genetic information, the computer of the certification authority determines data related to which animal are to be released. Using the public key, the computer verifies whether the user logged on is authorized to read the data. It is also possible to transmit other data instead of the genetic information, for example a serial number which refers to the relevant animal. Likewise it is possible to provide for additional or alternative devices for blocking access, for example passwords.

The owner receives an access authorization for those parts of the data stored on the central computer which are owner-related, for example place of rearing, nutritional data, and the like. For other data, for example date of birth, place of pedigree, and the like, the owner only receives a restricted access authorization, although he possesses the appropriate private key. Generally, he will be allowed to read these data but not to modify or to delete them. Access authorization can be set up in a conventional manner by issuing read and write privileges on the central computer and/or by a conventional password. Other access control mechanisms, for example speech

5
10

15
20

25

30

35

5

10

15

20

35

password, to the certification authority, opens access to the stored data at the certification authority, which relate to the actual animal. To read or write data, the veterinarian has to personally identify himself once more. This can be done by transmitting data of a smartcard assigned to the veterinarian or by transmitting data, which are securely stored on the smartcard reading device or on the computer of the veterinarian, automatically to the central location.

10 The usual techniques for a secure link may be used for communication between the veterinarian and the certification authority. It is, for example, possible to exchange with the aid of an asymmetric pair of keys a symmetric session key which has been specifically

15 generated for the session and which is used to encrypt the entire communication between the veterinarian and the certification authority during the session.

Once both the authorization relevant to the animal and the authorization of the veterinarian have taken place, the veterinarian may read or, if permitted, modify the data accessible to him in the register of the certification authority. The veterinarian adds a digital signature to the data modified or rewritten by him.

25

A communication is also possible in the reverse direction, for example for transmitting data about illnesses. In this context, the appropriate message is encrypted either using the animal-specific private key or the private key of the veterinarian or the public key of the recipient. Alternatively, the message is sent uncoded and, to verify authenticity, a signature, for example the value of a one-way function applied to the message, encrypted using the animal-specific private key or the private key of the veterinarian, is generated and attached to the message.

30

35

The above-described method may be used, for example,

for identifying animals at breeding shows. To register the animal, the animal owner transmits the genetic information which identifies the animal and which is the basis of the public animal-specific key, as explained hereinbefore, and also the public animal-specific key given on the smartcard or other information assigning the smartcard to the genetic information. When arriving at the breeding show, the animal is identified using the transmitted genetic information. The certificate, stored on the smartcard or printed, is used as a basis for verifying that the public key given belongs indeed to the genetic information given so that the smartcard is authentically assigned to the animal presented. The smartcard verified in this way can then be used to access the data at the certification authority. If the data at the certification authority can be decrypted using the key stored on the smartcard, then it has been established that the animal presented corresponds to the data stored at the certification authority.

It is possible to proceed in a similar way also for business transactions relating to the animal, for example for animal sales. In this case too, the public key is transmitted together with the genetic information identifying the animal. Instead of the public key, it is also possible to transmit other information which produces unambiguous assigning of a smartcard to be present [sic] to the transmitted genetic information. As long as the smartcard verifies the assigning of the stored data, in particular of the stored code, to the genetic information automatically, giving the genetic information alone is sufficient for authentication of the card.

Various modifications of the above-described procedure are possible. It is possible, for example, to use other encryption methods. Access authorizations, in particular reading or writing privileges, may be

Information relevant to obtaining the genetic information, the assigning of this information to a public key, etc. need not be stored on a smartcard, but may also be communicated in a different manner.

20 In the context of building up a genetic certification
authority, specific genetic information of the
reference datasets may be issued as electronic or
written certificates for particular animals or
25 materials, in particular as certificate for other
properties and/or characteristics.

Finally, the method according to the invention may be used for building up a standardized animal database for which no longer the genetic information (the "genetic fingerprint") forms the animal-identifying data, but rather the key assigned to this information. The methods which are at present used for producing a "genetic fingerprint", are different so that one and the same animal may correspond to a plurality of "genetic fingerprints", depending on the method used. Accordingly, it is at present difficult, to screen various databases for data relating to the same animal by using the genetic information. Within the scope of

The characteristics of the invention which are disclosed in the above description and in the claims may be important both alone and in any combination for the realization of the invention in its various embodiments.